



IN REPLY REFER TO

United States Department of the Interior

NATIONAL PARK SERVICE
National Capital Region
1100 Ohio Drive, S.W.
Washington, D.C. 20242

PUBLIC GATHERING PERMIT

Permit: 22-1185

Date: June 8, 2022

In accordance with Park Regulations as contained in C.F.R., Title 36, Chapter 1, Section 7.96, permission is granted to conduct a public gathering to the following:

Person(s) and/or Organization(s): Team Harbinger

Dates(s): Thursday, June 9, 2022

To: Sunday, June 12, 2022

Time: Starting: 5:00 am

Ending: 9:00 pm

Location(s):

Washington Monument Grounds, northside center portion and the NW Quadrant

Purpose: Frist amendment activity to demonstrate the need for the elimination of gun violence.

Anticipated Number or Participants: 50000

Person(s) in Charge: Matthew Hall

Address(es): 1301 k street NW Third Floor, Washington, District of Columbia 20005

Phone Number: (b) (6)

Mobile Number: (b) (6)

This permit is granted subject to the following conditions:

1. Permittee and all participants authorized therein must comply with all of the conditions of this permit and with all reasonable directions of the United States Park Police.
2. All sidewalks, walkways, and roadways must remain unobstructed to allow for the reasonable use of these areas by pedestrians, vehicles and other park visitors.

PERMITTEE IS RESPONSIBLE FOR READING AND ADHERING TO ATTACHED
ADDITIONAL CONDITIONS.

ADDITIONAL CONDITIONS**PERMIT #22-1185****TEAM HARBINGER/MARCH FOR OUR LIVES****WASHINGTON MONUMENT GROUNDS, NORTH SIDE CENTER PORTION AND THE NORTHWEST QUADRANT****JUNE 9 – JUNE 12, 2022**

Event Overview: The March for our Lives will conduct a demonstration for the “need for the elimination of gun violence” through speeches, videos, music and participants carrying signs and banners.

Event Contact Information: Team Harbinger

Matt Hall, Event Director, (b) (6)

Josh Rodman, Project Manager, (b) (6)

Cameron Hahn, Project Manager, (b) (6)

See Attached Management Staff contacts

Event Timeline:

See the attached spreadsheet for complete timeline.

- Set up : June 9, 5:00 am – 9:00 am and June 10 & June 11, 7:00 am-9:00 pm
- Event: June 11, 12:00 pm – 2:00 pm
- Tear down: June 11, 3:00 pm – 7:00 pm and June 12, 7:00 am – 9:00 pm

Permit Authorization

A. This permit authorizes Team Harbinger/March for our Lives (TH/HB/MFOL) use of the north side, center portion and the northwest quadrant of the Washington Monument grounds. Permission is granted to HB/MFOL to commence load-in for the placement of any generators, porta-johns, support structures, LED screens, the erection of fencing, the construction of staging, approved tents, and sound towers:

1. HB/MFOL will submit to the NPS stamped engineered drawings for all structures, i.e. cable trusses, sign trusses, tents larger than 900 square feet, stages, audio/video towers, etc. for NPS review and approval.
2. The permittee(s) agrees to be fully responsible for the management, performance, use and safety within the permit area involved in this authorization until the work is completed, inspected, and accepted.

Stated Total of Participants: 50,000 participants

B. Schedule of Events June 9 – June 12, 2022

Set up:

- Thursday, June 9, 5:00 am – 9:00 pm

- Friday, June 10, 7:00 am – 9:00 pm
- Saturday, June 11, 3:00 am – 12:00 pm

Program

- Saturday, June 11, 12:00 pm – 2:00 pm

Tear Down

Saturday, June 11, 3:00 pm – 9:00 pm

Sunday, June 12, 7:00 am – 9:00 pm

- Overnight Security: June 9 – June 11, 9:00 am – 7:00 am each night

NOTE: See attached timeline and event program itinerary.

GENERAL CONDITIONS OF THE PERMIT

1. All activities pursuant to this permit shall be in compliance with the requirements of Title VI of the Civil Rights Act of 1964 (78 Stat. 252; 42 U.S.C. 200d et seq.); Title V, Section 504 of the Rehabilitation Act of 1973 (87 Stat. 394; 29 U.S.C. 794); the Age Discrimination Act of 1975 (89 Stat. 728; 42 U.S.C. 6101 et seq.); and with all other Federal laws and regulations prohibiting discrimination on grounds of race, color, national origin, handicap, religion, or sex in employment and in providing facilities and services to the public. Nothing in advertising for employees shall be done which will prevent those covered by these laws from qualifying for employment.
2. Permittee and all participants authorized therein must comply with all of the conditions of this permit and with all reasonable directions of the United States Park Police and/or other representative of the NPS.
3. The area must be left in substantially the same conditions as it was prior to the activities authorized herein. All trash, debris, and litter resulting from activities of this permit shall not be allowed to accumulate and shall be bagged **in clear plastic bags** and placed in trash dumpsters provide by HB/MFOL.
4. All requests, correspondence and meetings with NPS pertaining to this permit shall be scheduled by NAMA only. All contractors, subcontractors or consultants must channel their request through the recognized representatives of the permittee, who in turn, will contact NPS.
5. All laws, rules, and regulations applicable to the area covered by this permit remain in effect.
6. This permit is applicable only for the use of the area designated above, and during the times designated above, or as may be designated in written amendment to this permit.
7. In use of this area, the permittee shall require all employees and/or contractors to exercise all normal and reasonable safety precautions including observance of all applicable OSHA codes, to protect park property and to provide for public safety. Suitable devices such as barricades,

fences, lanterns, etc., necessary for employee, public safety, and resource protection shall be provided by NAMA shall be adequately maintained. Placement of such devices require the concurrence of the NPS.

8. All work performed as a result of the permitted use by the permittee or its agents shall be subject to the conditions of this permit, and the permittee is responsible for ensuring that such work meets the conditions of this permit.
9. All proposed amendments or additions to this permit and all proposed locations of vehicles, equipment, storage, installations of any kind, areas of activity, work and power plans shall be submitted to the NPS for prior written approval. These proposals shall be in map or diagram form suitable for on the ground inspection. Placement of tents, displays, and other detailed and specific site map will be provided to the NPS prior to installation of facilities.
 - a. Arrival schedules, equipment lists and vehicle lists must be provided in advance and all units in use in the park area must have specific approval by the NPS.
 - b. Permittee will provide an on-site coordinator to be accessible to the NPS and the United States Park Police (USPP) personnel at all times during construction or set-up activities and during dismantling of facilities post-event.
10. NPS reserves the right to immediately revoke this permit at any time should it reasonably appear that the activity presents present danger to the public safety, good order or health, or if any conditions of this permit are violated.
11. This permit may be amended upon final approval of the site plan, certified stamped engineered drawings, sign plan and timeline.
12. A copy of this permit shall be at the site during the use of the park area.

II. SPECIFIC CONDITIONS OF THE PERMIT

1. Event Venues:

- A. Washington Monument grounds, center portion, north side and northwest quadrant

Set-up will include the following: Tents, fencing, LED screens, portable restrooms, generators, sound towers, tables, & chairs.

Equipment List:

- 16"x16" GS Truss System
- 16" Line Array Tower and 12" Line Array Towers
- Audio equipment
- Four (4) 14'x25' delay Towers and main towers, 22'x20'x35'
- One (1) 15'x28'x4'main stage

- One (1) press head on riser, 28'x8'x6'
- One (1) two tier press cut riser, 28'x8'x4'
- Two (2) LED Screens, 22'x12'
- Two (2) tow behind generators surrounded by bike rack
- Global MOJO fencing directly in front of main stage
- Fencing around stage area
- Matrix flooring under stage
- Matrix for participants in front of stage to front of house
- Two (2) 20'x20' Medical tents
- One (1) 40'x10' AV tent
- One (1) 20'x10' offstage announcer tent
- One (1) 20'x20 March for our Lives tent
- One (1) 20'x20' front of house tent
- One (1) 20'x20' Production tent
- One (1) 20'x20' Crew tent
- One (1) 20'x10' AV tent
- 170 portable restroom with 20% ADA restrooms
- 25 water monsters

See attached diagram

Equipment to be used:

- Two (2) forklifts
- One (1) 5K reach lift
- One (1) Warehouse lift
- Two (2) 5000lb warehouse forklifts
- Two (2) electric pallet jacks

No structure no fencing may be placed inside the German American Friendship Garden at any time. Area must be open to the public at all times.

2. Resource Protection:

Throughout the course of this permit, the HB/MFOL, is responsible for taking all necessary precautions to minimize resource damage throughout the permitted area. In addition, permittee must supervise their contractors and employees during set-up and teardown to assure that there is no damage to park resources. NAMA must have a representative on site during set up and tear down of equipment to monitor the vendors.

Pursuant to 36 CFR 7.96(g)(5)(vi)(C), 2.31(a)(2),(3) the destruction, defacement, damaging, alteration, or removal of park resources or facilities is prohibited. No item, including signs or banners, may be attached to park trees, plantings, benches, statues, walls, fences, or other park property.

To protect the resources, stands and other facilities approved for placement on the grass and walkways, outside of any restricted zones, must be supported by pre-approved, hard interlocking plastic material. Material to be used must be approved in advance by NPS.

No excavation or disturbance of park features or landscape shall be permitted under this permit without written approval of NPS.

When heavy equipment vehicles (forklifts, lifts, etc.) are used to move equipment, permittee must provide spotters in the front and rear of the heavy equipment vehicle to insure safety of pedestrians and workers. One (1) spotter in the front and two (2) spotters in the back

Throughout the course of this permit, HB/MFOL will require its employees/volunteers, and contractors, to exercise special care and attention to protect the resources of parkland and its environs. In addition, NAMA must supervise their contractors and employees during set-up and teardown to assure that there is no damage to park resources.

Landscapes:

Lawn, trees, shrubs, and the irrigation system, curbs, electric conduits, and water mains located within the permitted area, shall be protected from adverse impacts associated with event activities.

Heavy Equipment Near Trees and Shrubs: The use of any heavy equipment (forklifts, lifts, etc.) placed under or near trees or shrubs is prohibited.

Turf Protection: For the purpose of protection, any area not paved must follow the O & M Turf Manual. No heavy equipment (forklifts, lifts, etc.), vehicles or stock piling of materials is permitted on turf areas.

The use of vehicles, heavy equipment, lifts, forklifts etc are not allowed on the turf sections of parkland.

The temporary covering of turf for this event must be provided by the permittee for the permitted areas. Use of this ground cover allows for pedestrian walkways, temporary flooring, structure, and support, with special permission from NPS.

Permittee is must secure products such as Terraplas, Terratile and Matrax LD or equal that is ADA-compliant, interlocking mats that are translucent and allow UV light to pass through to the grass below. The products must either be perforated or ribbed, allowing for ventilation and some moisture access to the turf below. Material to be used must be approved in advance by NPS. Further a hard interlocking roadway turnaround off the west side north walkway must be installed for exiting the northwest quadrant of the Washington Monument grounds.

Site Furnishings:

Permittee may not move or otherwise harm existing site furnishings, including but not limited to posts and chains, benches, waste receptacles, and drinking fountains. No attachments may be made to, pass through, or be affixed to existing site furnishings.

Additional temporary site furnishings may be provided by the Permittee; however, these furnishings must meet the guidelines set forth in this document. No permanent installation of site furnishings is permitted.

All necessary precautions as deemed necessary by the NPS shall be taken to prevent damage to underground utilities, and sprinkler systems located throughout the area. Any utilities damage by this work shall be promptly repaired. The sprinkler system plan will be clearly marked on-site by the National Park Service.

Hard Surfaces:

Temporary protection of all hard surfaces affected by the construction or erection of staging elements, sound towers, camera equipment, lifts, lighting structures, miscellaneous equipment, or scaffolding must be provided. All protective pads or cushioning devices shall be non-staining.

Oil or Hydraulic Fluid Leaks: Temporary protection of hard surfaces shall be used where motorized vehicles are operating to avoid oil and/or hydraulic fluid leaks. Should a leak of this type occur, the permit holder shall be held liable for clean-up, at no expense to the NPS.

Structures:

To protect the turf areas, it is strongly encouraged that structures be placed on the Washington Monument grounds hardscape areas where it would not impact the turf. The NPS may allow under permit the use of turf areas, however, if the structure and its equipment use the turf protection measures as detailed throughout this permit. All structures must minimize all points that come in contact with the turf.

All structures must be able to withstand a minimum wind gust of 90 mph and follow the High Wind Action Plan below.

1. The High Wind Action Plan shall be in effect for the entirety of this event.
2. NAMA is responsible for a designated representative to be present for the duration of this event to implement the High Wind Action Plan.
3. An Anemometer shall be placed on the roof of the stage structure to monitor wind speeds.
4. Noted wind speeds are 3 second gusts in accordance with ASCE 7.
5. **When wind speeds are expected to exceed 25 MPH, NAMA** will place crews on alert.
6. **When wind speeds are expected to exceed 30 MPH,** all sidewall scrim shall be removed.
All video walls and large speaker clusters/delay towers shall be lowered to the ground and secured. Lowering of scrim or equipment shall be done from the ground by means of remotely activated equipment such as motors or mechanical releases.
7. **When wind speeds are expected to exceed 40 MPH,** all event operations shall cease and the immediate area shall be evacuated.
8. Do not lower stage system, video walls, large speaker/delay towers during high wind events.
9. The High Wind Action Plan shall be posted at a conspicuous area on site. It must be available at all times to venue operators and crew.

All structures must follow the guidelines below and adhere to National Fire Protection Association codes.

Any temporary structure exceeding over 900 square feet require the submission of engineered drawings stamped by a structural engineer licensed in the United States. Drawings should include tent support lines identified by flagging.

Structures on the turf should be on a raiser with as few points as possible touching the turf. Each point that does touch the turf should have Enkamat Flatback¹ or equal product and plywood pads under all points as outlined:

Each screw jack should have a wooden pad and two layers of Enkamat Flatback¹ or equal product, eighteen inches square (18"x18")

Concrete pads should have four (4) layers of Enkamat Flatback or equal product
Under each concrete tower pad two (2) layers of plywood

All screws and fasteners used in the construction of structures should be polished during the build and retained during removal. Screws and fasteners should be made of a non-aluminum metal, enabling a post-event magnet sweep to ensure all pieces are removed from the site.

Tents: To protect the turf, tents should be located on hardscape surfaces including gravel, asphalt, concrete, granite, wood, etc. tents and other similar structures must be secured using cement blocks and/or water-filled ballast tanks. No stakes are permitted on hardscape surfaces.

Non-freezing, no-staining liquid approved by the NPS (water treated with bio-degradable antifreeze) in plastic containers shall be used as weighing elements. No sand bags are permitted for this purpose.

At takedown, all water filled ballast tanks must be pumped to the nearest catch basin (located within the curbs) or to the area drains located throughout the hardscape. Tanks may not be drained into the turf or pumped in gravel areas. This prevents creation of muddy puddles and soft areas in the turf and also limits runoff of gravel into area drains.

¹ Footnote 8 Enkamat Flatback is a unique product designed for turf grass protection. Enkamat's tightly interwoven flat upper layer can withstand the weight of thousands of people and staging equipment. Enkamat is a three-dimensional geomatrix of highly resilient, nylon monofilaments which are fused where they intersect. Ninety percent (90%) of the geomatrix is open space which allows for air and rain to pass freely through to the turf below. Enkamat comes in standard sizes of 39"x150' and 15'X150' and can be cut onsite into any shape or size.

If approval is granted by NPS, no tent stakes may penetrate the ground surface by more than 10 inches. Use of stakes longer than this requires coordination through the Turf Management Specialist, National Mall & Memorial Parks, at (202) 245-4685. Permittee must hire an independent contractor to survey the grounds with radar penetrating equipment to map all utilities prior to any staking.

Tents must be constructed of fire retardant material. A certificate of fire retardant material must be provided as confirmation to the NPS

Tents should be placed at least 6 to 10 feet apart. Tents will be anchored by cement blocks.

Stages, Lighting, and Audio & AV Towers:

Stages, lighting trusses, video walls/screens and any scaffold towers used to support them must be constructed to conform to architectural plans stamped by a licensed structural engineer. Permittee is responsible for installing a barricade, bike rack and/or fencing around all lighting, audio and AV towers to secure them from the general public.

If authorized by permit stages may only have skirting on the audience-facing area and only during the event, to allow maximum light and air to reach the turf, thereby limiting damage.

Fencing:

Any fencing or other physical barriers planned for the event must be shown on the site plan and called out by type.

Fencing must be designed in such a way that it does not prevent safe egress from the event.

Fencing located on turf areas may not be staked into the ground unless authorized by permit. If authorized, stakes must be no longer than ten inches (10") driven into the ground. Stakes must avoid all underground pipes and fixtures. In the event chain linked fencing is used, security barbed wire is prohibited.

Concrete barriers (such as jersey barriers) are permitted only on hardscape areas.

Tree protection fencing may be required as a condition of the permit.

Evening Work:

Evening work may be conducted for both load in and load out periods with prior permission by the Superintendent. For work conducted during evening hours a portable lighting system is required. In addition all motor vehicles including golf cart(s) must have lights. Generally night work is not allowed after 10:00 pm and prior to 6:00 am.

Structures on Turf Panels: To protect the turf, neither structures nor parking or operation of equipment is permitted on turf. Event vehicles of any kind (delivery, cranes, forklift, golf carts, trailers, exhibit trailers, etc.) are not allowed on turf or surrounding curbs. To accommodate use for the event and to protect against compaction and plant damage, turf protection, the use of matting that holds itself and any added loads such as foot traffic, above the crown of the grass blades, and does not sink into the ground is required.

Turf protection flooring must be light weight, able to be carried and set in place without vehicular assistance.

Products such as Terraplas, or equal, must be ADA-compliant, with interlocking mats that are translucent and allow UV light to pass through to the grass below and perforated or ribbed to allow for ventilation and some moisture access to the turf below. The use of plywood for this purpose is strictly prohibited. Specific material used must be approved in advance by NPS.

No carpet or other obstructions to turf covering holes will be allowed.

Driving stakes and/or grounding rods into the turf is prohibited without the approval of the NPS.

Structures Under/Around Trees: To minimize soil compaction and to protect the continued health of the trees, neither structures nor parking or operation of equipment, is permitted within any tree canopy (root zone) area or in any of the Tree areas. This includes but is not limited to stages, booths, audio/visual towers, tents and lighting. As a condition of the permit, the Permittee may be required to install tree-protection fencing.

Walkways: To protect the resources, stages, stands and other facilities approved for placement on any walkway, must be supported by 1 inch, professional, outdoor grade plywood or similar material.

Material to be used must be approved in advance by NPS.

Crate Storage and Bone Yards :

Crate storage, bone yards and staging areas are prohibited on parkland. They must be located off-site

Site Access:

Extreme caution must be exercised when driving on the sidewalks. Pedestrian access must be maintained at all times, however, if for safety reasons, an area has to be temporarily closed to the public,

Except when being driven on established public vehicular roadways: Logistical equipment and vehicles, including gas and electric carts, must not exceed 5-mph. All trucks with a GVW of over 7500 pounds, and equipment such as bucket trucks, platform lifts, forklift, and cranes, must be accompanied by a walking spotter when moving or operating in an area accessible to the public.

Vehicles must have headlights on while in motion. All individuals operating Golf Carts/gators on NPS property must have a Valid Driver's License. All Golf Carts/gators operating after dusk, must have fixed and/or portable illumination.

Parking of Permittee(s) employee's or subcontractors private vehicles for conduct of this permit's activities, in tree panels and/or on turf or walkway areas is prohibited.

HB/MFOL must receive prior, written approval from the NPS/USPP if traffic is to be blocked at any time during preparation for, during the course of, and after a special event or demonstration (at any location in the immediate vicinity of the National Mall). If District of Columbia streets are to be blocked, the appropriate authorities must be notified as well.

All pathways and roadways must remain open and unobstructed. A minimum twenty foot (20') drive aisle must remain open at all times for emergency vehicle egress. No temporary or permanent structures may be located within the egress lane. The egress drive aisle must be called out on the site plan.

Submittal Requirements: A plan of how the site will be approached and how traffic will be controlled is required for logistical vehicles that are delivering and/or removing temporary equipment and supplies. In this submittal, information documenting the path of vehicular traffic in and around the roadways of the National Mall during preparation for, during the course of, and after all activities associated with the event, is required. Rules and regulations for District of Columbia streets also shall be observed. Signs directing vehicular and pedestrian traffic shall be furnished, with text and locations of signs indicated on the plan.

Deliveries and removal of materials shall occur so as to not adversely affect daily operations of NPS Concessioners and Museums in and around the Washington Monument Area. No deliveries shall be made after hours without prior, written approval from the NPS. No deliveries nor put up of equipment may take place during posted rush hours between 6:00 am – 9:30 am and 4:00 pm – 6:30 pm during weekdays.

Vehicular access to turf areas will only be permitted per conditions listed below:

Driving within any Level 1 turf areas is strictly prohibited. Only hardscape areas can be used.

Driving directly on all turf and tree areas is prohibited. Vehicles, forklifts, frontend loaders, or any other heavy-duty equipment, moving heavy equipment on turf is prohibited. Delivery and pickup of equipment will be allowed during non-hour periods from 17th to the north sidewalk on the west side of the Washington Monument grounds. No load-in/load-out will be allowed within USPP traffic control. Permittee is responsible for contacting Sgt. Eddie Burnet, 202-359-4408 or Sgt. Zakiyyah Mashasin, 202-731-3630 to arrange for traffic control

One vehicle at a time will be allowed access of the west sidewalk. Permittee is responsible for laying a hard interlocking roadway for vehicles to turn to exit back onto 17th Street via the west sidewalk.

Heavy duty plastic material that clicks or snaps together to avoid movement of material and tripping hazards. The temporary interlocking protective material supports shall be installed over plazas, walkways, and turf areas for the ingress and egress of all vehicles/units or heavy equipment by NAMA. **Material to be used must be approved in advance by NPS.**

Temporary turf cover materials used for vehicular travel (load-in and load-out) should be removed as soon as possible to prevent damage to turf.

Parking of Permittee(s) employee's or subcontractors private vehicles for conduct of this permit's activities, in tree panels and/or on turf or walkway areas is prohibited. Permittee must arrange for parking of employee and contractor vehicles off parkland.

Tents must have one side open at all times for visual inspection by a representative of the National Park Service and/or United States Park Police. Staking no deeper than 18" will be allowed to stake.

Please Note: a fire life safety inspection is required during the tent set up.

Permittee must install in each tent exit:

- One (1) Exit Sign
- One (1) Emergency Light
- One (1) 2A 10 BC Portable Fire Extinguisher
- An additional Emergency White Light, on opposite side of exits

a. **Exit and Occupant Loads for Enclosed Tents:** Tents that have sides attached and those with rolled up sides which are capable of being enclosed shall meet the following occupancy load and exit requirements.

Occupant Load Number	Floor Area	Approx. Tent Sizes	Min. Exits
<49 people	<343 Sq. Ft.	10'x10', 10'x30', 15'x15'	1
50-499 people	350-3,493 Sq. Ft.	15'x 30', 40' x 40', 40' x 80'	2
500-999 people	3,500-6,993 Sq. Ft.	40' x 100', 60' x 100'	3
>1000 people	>7,000 Sq. Ft.	80' x 100', 60'x 160'	4 or more

- a. **Tent Stakes:** Tent stakes adjacent to any means of egress from any tent open to the public shall be railed off, capped, or covered so as not to present a hazard to the public. There shall be a minimum of 10ft. between stake lines. Staking in gravel is not permitted.

Ground & Floor Surfaces: Accessible routes of travel must avoid irregular, soft loose surfaces, such as sand, gravel, cobblestones and similar uneven brick or concrete pavers. Such surfaces are uncomfortable and can cause wheelchairs to rock and tilt. Unstable and uneven surfaces also can be a problem for people who walk using crutches or canes, often causing a loss of balance or falls. Accessible routes must also avoid tall, wet grass, which is often slippery and difficult to roll a wheelchair across.

Permittee is responsible for establishing accessible routes of travel through site, food service, toilet, facilities, and assembly seating, using compact, stable, surfaces, free of loose debris. Appropriate turf cover/ground protection material approved by NPS, is required for ADA accessible routes established on the turf. Permittee is encouraged to secure products that are ADA-compliant, interlocking mats that are translucent and allow UV light to pass through to the grass below. The products must either be perforated or ribbed, allowing for ventilation and some moisture access to the turf below. Material to be used must be approved in advance by NPS. Plywood cannot be used as turf cover/ground protection. The following flooring products are approved for use on the turf in the following areas:

Pedestrian flooring shall follow the guidelines below:

- Comprised of single-sided or double sided high density translucent polypropylene.
- Not result in turf damage during removal.
- The cavity back (if specified) must have appropriate clearance above crown of grass (not compress the turf, approximately 1.75" to 2.25"); this depends on the time of year and ground conditions.
- Cavity back must have holes for air, light, and water to permeate the product.
 - No fabric or other obstructions to turf decking covering holes or blocking light will be allowed below the protective decking.

Time Limits for Protective Decking: Total turf coverage time including set up from May 15 to September 14 is three (3) days. Time limit for blocking Photosynthesis (tents, stages, structures) May 15 to November 14 is two (2) days.

3. Trash/Recycling Maintenance:

A. TB/MFOL will be responsible for providing card board trash receptacles for collection and disposal of all trash, debris, and litter resulting from the use of the permitted area, including a recycling program. Trash shall not be allowed to accumulate and shall be continually and promptly bagged **in clear plastic bags** and removed from the site. The location and placement of any litter containers must be coordinated with the NPS.

Recycling:

The permittee is required to collect and transport to a certified recycling center, commingled cans and bottles (aluminum and bimetal cans and plastic bottles), plastic, and aluminum materials generated from the permitted activity off park land.

The permittee shall furnish all management, supervision, labor, equipment, materials, supplies and any other items necessary to perform the recycling service of their permitted event. Work includes providing labor, proper equipment, collection and transport of generated recycled items, as well as providing records on the recycled material to NPS.

Permittee must submit the trash and recycling plan and have it approved prior to set up. Permittee agrees to provide volunteers and staff to removal all generated trash.

4. Electricity and Generator Usage:

No electricity available on site. HB/MFOL will provide their own gasoline and/or solar powered generator(s) to provide power for tents, video and sound, towers and any lighting. Generators will be installed in accordance with the site plan, D.C. Fire Department guidelines, and safely installed per manufacturer requirements. The fueling/refueling of gasoline powered generators on parkland is prohibited*. The storage of additional fuel is prohibited.

At a minimum, for hand carted generators, 1" professional outdoor grade plywood, or similar material must be placed underneath the generator to protect the underlying surfaces from potential weight and vibration damage and fluid leakage. Generators must be encased with a secondary drip containment unit.

Permittee will provide two (2) tow plant generator(s) which must have an internal secondary drip containment unit and/or placed in self-adsorbent, fire retardant containment troughs and be fenced in or closed in with bike rack. Generators are not allowed to be placed underneath any tree drip line area.

All wires must be covered by mats and/or yellow jackets to prevent tripping hazards. The cord must be in good condition, of sufficient gauge to accommodate the electrical load of equipment and must be properly grounded.

A Fire extinguisher must be within 15 feet of generator(s) and light tower(s)

***Refueling of generators:** Refueling of the gasoline generators will be permitted pursuant to the following conditions:

Refueling will only be allowed on dates and times agreed upon in advance with the NPS- generally, (05:00 a.m.-08:00 a.m. and 10:00 p.m.-12:00 a.m. (midnight)).

The following materials must be placed on the ground during refueling:

Plastic tarp

Absorbent material on top of tarp

Drip pan under fueling nozzle

Spill containment material or absorbent booms or pads must be stored at each generator location

55-gallon drum labeled hazardous material must be placed alongside of each generator. Should spillage occur the absorbent material must be placed in these barrels.

Contractor will be responsible for removing the barrels off of park property

Contractor will be responsible for any damage to the park's resources as a result of the refueling.

In case of spill please contact DC Fire and Emergency Medical Services at 911 and National Mall & Memorial Parks' Chief of Maintenance at (202) 359-1551.

The storage of fuel on parkland, in trailers, next to generators and at other NPS locations is strictly prohibited.

HB/MFOL will be responsible for any damages to park resources resulting from the re-fueling.

The spillage of deleterious substances such as engine oil, gasoline, etc. is prohibited. In the event of such an occurrence, NPS and USPP must be notified immediately.

All cables, power lines, etc. shall be run in an orderly manner and contained in matted yellow jackets that provide for safety and accessibility. No power lines can be strung between trees. All temporary electrical service wiring must be covered by mats and/or high-visibility Yellow Jacket™, or equivalent item, so as not to create a tripping hazard or navigation barrier to handicapped individuals. The cord must be in good condition, of sufficient gauge to accommodate the electrical load of the equipment and must be properly grounded.

Bike rack must be placed around all generators, as well as light and sound towers.

5. Overnight Security/Camping:

NAMA is responsible for providing UNARMED overnight security. Coordinate security with Sgt. Zakiyyah Mahasin or Sgt. Eddie Burnett, U. S. Park Police at 202-610-7092.

Sleeping overnight in park areas, including in any tents by employees or subcontractors workmen is prohibited. Camping is defined as the use of the park land for living accommodation purposes such

as sleeping activities, or making preparations to sleep (including the laying down or bedding for the purpose of sleeping), or storing personal belongings, or making any fire, or using any tents or shelter or other structure or vehicle for sleeping or doing any digging or earth breaking or carrying on cooking activities. The above-listed activities constitute camping when it reasonably appears, in light of all the circumstances that the participants, in conducting these activities, are in fact using the area as a living accommodation regardless of the intent of the participants or the nature of any other activities in which they may also be engaging.

Permittee contractor: Colorado Security. Person in Charge: Thomas Goheen form Adam Stone.

6. Safety:

HB/MFOL is required to meet OSHA guidelines regarding employee/subcontractor work schedules. No employee/subcontractor is to work no more than 10 hours within a 24hour period. Any work required beyond the 10 hour limitation will need to be requested to the NPS in advance for review and approval by the Superintendent, National Mall & Memorial Parks.

An authorized permittee official must be assigned for on-site supervision each day of the event for load-in and load-out. NPS and USPP will also be assigned to monitor and to provide for public safety. All instructions given by authorized NPS or USPP personnel must be obeyed promptly.

Any movement by heavy equipment such as forklifts must be accompanied by spotters in the front and rear of the piece of equipment at all times. Failure to comply with all terms and conditions of this permit may constitute grounds for cancellation of the permit and immediate termination of the event.

7. Portable Toilets/Comfort facilities:

- A. Adequate portable restroom facilities shall be installed by NAMA for employee and public use. These units shall be placed in "low profile" locations approved by NPS. The National Park Service recommends one portable restroom facility for every 300 participants with 20% of those facilities wheelchair accessible. One (1) restroom trailer will be located on the south curb lane of Constitution Avenue, west of 16th Street from 3:00 am – 4:00 pm, June 11, 2022. Hand sanitation Trailer shall be supported with fluid containment troughs to collect any spillages. In the event of any spillages directly onto the walkway, permittee must contact the NPS representative in charge and permittee will be responsible for any cleanup and any damages to the park resources.

Restrooms must be grouped back to back in groups of five (5) on each side with doors opening outwards. Restroom cue lines cannot cross pathways. Each bank of restrooms must be separated by six (6) feet.

8. **Security:**

HB/MFOL will be responsible for providing unarmed security for any equipment left unattended at any given time and/or overnight on parkland. Individual(s) must be properly identified. Security will begin on the first day of set-up and continue through the final day of tear down.

In addition, during the hours of load-in and load-out, HB/MFOL will be required to provide an adequate number of security personnel to assist with pedestrian and vehicle movement on the gravel walks.

Meetings with the HB/MFOL, the United States Park Police and the National Park Service, Permits Management Office have been held to coordinate and finalize the security plan for this event.

9. **Credentials**

All staff, volunteers, artists/participants, press, VIPs, and vendors involved this event will be issued credentials. The credentials will identify the person by name and category to include the event logo.

Colored copies of all credentials will be provided to USPP in advance of the event. See Attached.

10. **Water/Food/Beverage Services:**

HB/MFOL will be responsible for providing adequate bottled water to accommodate those attending the this event. Permittee will supply 25 water monsters.

11. Distribution and Giveaways: Distribution or give-away of any commercial product is limited to only those that may be consumed on the event site such as juices or popcorn. Soliciting personal information such as names, addresses, telephone numbers, zip codes, etc., or any other information, which may be used for future solicitation, or marketing purposes is strictly prohibited.

12. Permittee is responsible for reimbursing the National Park Service for any resource damage which may be incurred as a result of this permitted activity.

following the event, and public safety.

13. **Liability Insurance:**

Permittee is encouraged to procure public and employee liability insurance from a responsible company with a minimum limitation of \$1 million per person for any one claim and aggregate limitation of \$3 million for any number of claims arising from any one incident. The United States of America shall be included as an additional named insured on all such policies. All policies shall specify that the insured shall have no right of subrogation against the United States for payments of any premiums for deductibles thereunder and such insurance policies shall be obtained by, for the account of, and at the insurer's sole risk.

14. **Sales of Merchandise/Solicitation of Donations:**

Permittee is responsible for adhering to item #4, last page of permit concerning sales. Permittee states no sales nor soliciting of donations will take place.

15. **Sound Amplification:**

Special attention is drawn to item #7, last page of permit concerning sound amplification.

The regulation of sound is based not on the content, nor on the amplification capacity of the equipment, but instead whether the actual volume at the event is reasonable for the number of your participating public. In the event your sound amplification unreasonably interferes with nonparticipating persons in, or in the vicinity of the area, pursuant to 36 C.F.R. § 7.96(g)(5)(xii)(B), you will have to reduce the sound amplification. The Park Service's sound amplification regulation refers solely to volume and not to content. In the event a violation is observed, it is the practice and policy of the Park Police not to immediately revoke a permit and order the power turned off. Rather, with officers placed at the perimeter of the permit area, if a supervisory officer determines that there is a violation, the supervisory officer will first talk with the permittee or on-site representative to obtain immediate voluntary compliance to adjust the sound volume. However, if the volume compliance is not achieved, the Park Police will have to revoke the permit and order the power turned off.

16. **Signs, Banners, and Commercial Advertising and Sponsor Recognition:**

NPS regulations generally prohibit Federal parkland from being used for business solicitation or for the advertisement or promotion of commercial brands, products, and services. As such, no commercial notices and advertisements shall be placed, posted or distributed at the event. Further, no structures representing commercial products, or models or replications of commercial products or merchandise may be displayed.

Further consistent with long-standing NPS policy now under Public Law 108-108, Title I, § 145, special event permits will expressly prohibit the erection, placement, or use of structures and signs bearing commercial advertising. However, a permit may issued that authorizes the recognition of sponsors of special events, if the National Park Service determines that the size and form of the recognition is consistent with the special nature and sanctity of the National Mall or any other requested park area, and if the lettering or design identifying the sponsor is no larger than one-third the size of the lettering or design identifying the special event. Further, to the maximum extent practicable for such special events, public use of and access to the National Mall and other parkland is not restricted.

The permittee shall submit a sign plan for NPS review and approval. Any request seeking NPS approval for sponsor recognition must be submitted to the NPS at least 30 days prior to the proposed event, and depicted on the sign plan. If approved by the National Park Service, sponsor recognition will be authorized within the terms of the special event permit. Authorized sponsor recognition must be in keeping with the NPS policy, regulations, and law, and be appropriate to the scale and theme of the special event. Further, the overall size, number, and design of any signs or banners shall be appropriate to the park setting and the lettering or design identifying the sponsor must be no larger than one-third the size of the lettering or design identifying the special event. Signs and banners may not be affixed to existing trees or other NPS facilities or structures.

Distribution or give aways of any commercial product is limited to only those that may be consumed on the event site such as juices or popcorn. Soliciting personal information such as names, addresses,

telephone numbers, email addresses, zip codes, etc. or any other information which may be used for future solicitation, or marketing purposes is strictly prohibited. **A list of all giveaway items will be provided to the NPS for approval.**

Permittee will be responsible for assuring that sponsors adhere to the law regarding commercial advertising, promotion and signage (see conditions above)

No commercial displays, promotions, coupon give-a-ways or advertising permitted on park land.

17. Protection of the Public and General Welfare:

Permittee has amended his application to reduce the expected maximum crowd size to 50,000 attendees. Note: In the event that larger numbers arrive than can be safely accommodated by Permittee, staff and volunteers on the Washington Monument grounds, 36 CFR 7.96 (g) 6 provides that "During the conduct of a demonstration, a permit may be revoked by the ranking U.S. Park Police supervisory official in charge, if continuation of the event presents a clear and present danger to the public safety, good order or health or for any violation of applicable law or regulation".

Event fence, chain link fence and/or bike rack shall be erected by the Permittee to contain the event areas and provide necessary resource protection, security, and buffer zones. The Permittee(s) is responsible for encircling generators, light, and sound towers, jumbotrons etc. with event fence and/or bike rack. Event fence, chain link fence and/or bike rack may be erected by the NPS and/or the United States Park Police, to contain the event areas and provide necessary resource protection, security, and buffer zones. The United States Park Police may engage in intermittent pedestrian control and/or reconfigure barricades/fence lines, to provide for public safety and the free conduct of all First Amendment activity in the Park. Intentional or reckless harassment of park visitors with physical contact is prohibited. Lighting or maintaining a fire, or the use of open-flame decorative devices, candles, oil lamps, torches and gas lights are not authorized by this permit. Using, possessing, storing, or transporting explosives, blasting agents, explosive materials, fireworks, and firecrackers is prohibited.

18. Media:

Cameras, equipment, crew, and participants in this filming may not be situated on sidewalks, paths, or roadways that prohibit the passage of pedestrians and/or vehicles. No equipment may be attached and/or affixed to any plant materials (i.e. trees and shrubs) or structures. Running cables thru trees is prohibited.

No exclusive use of the area is permitted and the area must remain open to the general public at all times. This filming may in no way impede or prevent public access to the area.

No reserved parking for "crew vehicles" is permitted. Satellite live trucks will be allowed to park on the south curb lane, east of 16th Street on a space available bases after weekday posted rush hours. Vehicles cannot be parked overnight.

No electrical service is available. The use of a portable, hand carted, generator, to be provided by the Permittee, is permitted. Plywood or a similar material must be placed beneath the generator to protect the turf.

Cabling across entrances and handicapped accessible ramps must be ADA approved and cannot impair or prevent access. All cables must be covered to prevent tripping hazards.

19. Glass bottles, balloons and confetti is not allowed on park land.

20. **First Aid/Medical Services:**

All medical and First Aid provided must comply with the National Capital Region Medical Director protocols.

Permittee will be responsible for providing first aid service onsite. It is recommended that you consider the guidelines of the District of Columbia Department of Emergency Medical Services

HB/MFOL is responsible for providing First Aid services on-site. The NPS adheres to the District of Columbia Department of Fire & Emergency Medical Services guidelines established according to the number of people anticipated at an event. The following guidelines, established according to the number of people anticipated at an event, will ensure that appropriate medical coverage is provided throughout the event:

- 1-1,999: The Permittee may rely on 911
- 2,000 – 9,999: The Permittee should have a fixed First Aid site with certified/licensed personnel, who will remain on site throughout the event.
- 10,000 – 20,000: The Permittee should have one fixed First Aid site with certified/licensed personnel who will remain on site throughout the event and a Basic Life Support Ambulance (licensed in the District of Columbia) who will transport patients to an appropriate medical facility.
- 20,000 – 30,000: The Permittee should have one fixed First Aid site with certified/licensed personnel who will remain on site throughout the event, a licensed Basic Life Support Ambulance and a Licensed Advanced Life Support Unit (D. C. Fire & EMS has the only certificate of need to provide on-scene paramedic services in the District of Columbia).
- 30,000 – 50,000: The Permittee should have two fixed First Aid sites with certified/licensed personnel who will remain on site throughout the event, two Basic Life Support Units and one Advanced Life Support Unit (both licensed in the District of Columbia).
- 50,000 – 60,000: The Permittee should have two fixed First Aid sites with certified/licensed personnel who will remain on site throughout the event, two Basic Life Support Units and two Advanced Life Support Units (both licensed in the District of Columbia).
- Events exceeding 60,000 participants: The Permittee is required to have emergency medical services personnel from D. C. Fire & EMS as well as the Department of Health on site for the appropriate provision of first aid and/or emergency medical services.

DC EMS will provide medical service with two (2) medical tents and staffing.

Medical tents:

HB/MFOL will coordinator and staff all medical tents. HB/MFOL and DC EMS will provide two (2) medical tents. See attached site plan for location.

Two (2) ambulances will be supplied. Permittee will provide two (2) cooling buses.

Reunification will be located at the medical tents.

Operational Period:

Medical tents will operate from 11:00 am – 3:00 pm or until the event area is clear of visitors.

Level of Care:

The medical tents will operate with Advanced Life Support (ALS) and Basic Life Support (BLS) capabilities. All providers will be working under the direction of DC EMS Coordinators. EMS personnel will provide medical care to visitors appropriate to their level of training and in compliance with NPS medical protocols.

All patient care will be provided under the "treat and release" system. Patients requiring advanced medical care will be transported by DC Fire & EMS to local hospitals.

Transport:

DC EMS Dispatchers will be stationed in the Medical Command Center to facilitate all dispatch calls. DC Fire & EMS personnel will provide all ambulance transport within the event area.

Roving teams will use medical gators, litters, wheelchairs, or stretchers to assist moving patients from the medical tents to waiting ambulances.

USPP will coordinate all helicopter transports within the event area.

21. Reunification:

Permittee must provide a reunification location for lost persons. The reunification tent location will be located near the Medical tents.

22 Access to Permit Areas

Access will be located along pedestrian sidewalk at 15th and 17th Streets. HB/MFOL VIPs will be escorted by their security team to the stage area. No parking is available. The general public will access the area from Metro stations and walk ins. No bus drop off and pick up will be allowed along NPS roadways.

23. Accessibility:

The Americans with Disabilities Act (ADA) applies to temporary services, programs, and activities. Temporary facilities and structures must comply with the ADA Standards.

Policies and operations for the event must meet the nondiscrimination requirements of the ADA, including, but not limited to provision of accessible parking, routes through site, food service, toilet, facilities, and assembly seating.

HB/MFOL is responsible for providing auxiliary aids and services as requested. NAMA is responsible for providing promotional material explaining how the public can request a particular auxiliary aid or service and be informed of when specific auxiliary aids and services may be available for all Presidential Inaugural Ceremonies held on parkland.

Service animals, as defined by the Americans with Disabilities Act (ADA), are permitted under proper supervision. The ADA defines a service animal as any guide dog, signal dog, or other animal individually trained to provide assistance to an individual with a disability. If they meet this definition, animals are considered service animals under the ADA regardless of whether they have been licensed or certified by a state or local government.

HB/MFOL must consider elements of accessibility when designing the layout of the event. Potential items for inclusion are:

- Addition of temporary curb ramps where needed to provide an accessible route
- Location of structures and tents along an accessible route
- Provision of auxiliary aids and services
- Provision of and an accessible route from transit stops to the event location
- Provision of tactile braille signage
- Provision of portable wheelchair lift to access stages or other elevated areas.

24. Adverse Weather Policy:

When there is a threat to public health or safety, the Superintendent and/or his/or her designee, may close the park or an event being held there for such duration as determined necessary to ensure the safety and wellbeing of the public. Such situations have occasionally occurred in the past where park areas have been closed due to severe weather warning of heavy rain and thunderstorms with lightning and high winds. Where an area is ordered closed due to a weather-related public safety threat, pursuant to 36 CFR 2.32(2) people must comply with official directions to leave the closed area and relocate to safer sheltered locations.

Closing or canceling an event is a last resort. However, while most events will be held despite the weather, HB/MFOL is responsible for providing updated information in the event schedules and drop-off points may change. **If a weather emergency is declared, programs may be closed early or canceled.**

25. **Safe Haven:**

In the event of an emergency, the general public will be advised to exit the area. Crew, talent and special guests will be directed to the Lincoln Memorial basement and/or chamber depending upon the type of emergency.

26. **Parking of support vehicles**

The following vehicles will be allowed to park on the south curb lane of Constitution Avenue west of 16th Street, on Saturday, June 11 from 3:00 am – 4:00 pm on space available bases:

- Two (2) ambulances
- Two (2) cooling buses
- One (1) restroom trailer
- One (1) video control truck
- Two (2) production trailers
- One (1) press sat truck
- One (1) production sat truck

All other press sat trucks will be allowed on the south curb lane, east of 16th Street

27. **Sales/Solicitation:**

Special attention is drawn to item #4, last page of this permit concerning fees collected and donations solicited on parkland. No merchandise may be sold or offered for sale except for message bearing books, newspapers, leaflets, pamphlets, buttons, and bumper stickers. Sales areas can be no larger than 6' wide by 15' long by 6' high, and can have only one table 2 ½ ' by 8', or 4' by 4'. See attached regulations. The sale of Tee Shirts, CD's, cassette tapes and other similar materials is prohibited. Sales are not authorized as part of this permitted event.

Permittee states no sales and no solicitation will take place.


28. **Demonstration Marshals:** Permittee is encouraged to provide demonstration marshals. Each of your demonstration marshals (100) will help maintain order among your participants. Marshalls will be identified by neon safety vests. Demonstration marshals should be aware of their responsibilities and location(s) where they will be stationed and have received from demonstration organizers, adequate training, and instructions. Demonstration marshals should be aware of the time and location of the assembly and any march routes, the location of any first aid stations, water, and toilets, be knowledgeable of the NPS permit conditions, be able to communicate with law enforcement, as well as what to do if they think they observe any problems. While demonstration marshals do not act as police, they do help maintain order among participants, explain to non-participants that a particular area may be under permit, and be able to alert their supervisor and the United States Park Police in the event that they observe a problem on Federal parkland. No disruption and/or stoppage of traffic permitted. Participants must exercise appropriate traffic courtesies and cross intersections with traffic signals and/or with the direction of law enforcement. Permittee is responsible for providing marshals at all intersections to ensure the participants obey traffic signals and/or the instructions of law enforcement. Permittee has identified the following individuals as

29. **The following will be available on by the Permittee Production team**

- All Site Diagrams
- Equipment List
- Production Schedule/Time line
- Rehearsal Schedules and Run-of-show
- Access Locations
- Security Plan
- Communications Plan
- Medical Plan
- Media Plan
- Sanitation Plan
- Safe Haven Plan
- Severe Weather Plan
- Vendor List

**A COPY OF THIS PERMIT MUST BE ON-SITE WHILE OPERATING UNDER THE
AUTHORITY GRANTED**

DATE	TIME	VENDOR	ASSET	VENDOR CONTACT	HARBINGER CONTACT
Thursday 6/9	LOAD-IN / DAY 1				
	TBD				
	7:00 AM	Ridgewells	PERMIT BEGINS		Kendall Garden
	7:00 AM - 9:00 AM	EIS	Noise Ordinance Lifts - Work Can Begin		Kendall Garden / Wes Maul
	5:00 AM		CREW MEAL		Kendall Garden
	7 AM - 9 PM	Colorado Security	Ground Protection Dropped & Setup 2 daytime security guards present		Kendall Garden
	10:00 AM	United Rental	(136) Porter Potties (34) ADA (1) Executive Trailer (171) Locks delivered		Kendall Garden
	11:30 AM - 1:30 PM	Ridgewells	CREW MEAL		Kendall Garden
	TBD	EIS	Tents Installed		Kendall Garden / Wes Maul
	TBD	CMI	Install Audio		Dan Lamphier / Mark Romano
Friday 6/10	TBD	CMI	Install Press Riser		Dan Lamphier / Mark Romano
	TBD	CMI	Stage Load-In Begins		Dan Lamphier / Mark Romano
	5:30 PM - 7:30 PM	Ridgewells	CREW MEAL		Kendall Garden
	9:00 PM		Work Must end - Noise Ordinance In Place 3 overnight security guards on property		Kendall Garden
	9:00 PM - 7:00 AM	Colorado Security			
	INSTALL / DAY 2				
	7:00 AM	Ridgewells	Noise Ordinance Lifts - Work Can Begin		Kendall Garden
	7:00 AM - 9:00 AM		CREW MEAL		Kendall Garden
	7 AM - 9 PM	Colorado Security	2 daytime security guards present		Cory Frank
	TBD	Design Foundry	Scenic Load-In & Set-Up		Dan Lamphier / Mark Romano
Saturday 6/11	7:00 AM	CMI	Lighting Begins Load-In		Dan Lamphier / Mark Romano
	8:00 AM	CMI	LED, Main Wall Install and Rigging Begins		Dan Lamphier / Mark Romano
	12:00 PM	Infinite Power	Park & Power Video Truck		Kendall Garden
	11:30 AM - 1:30 PM	Ridgewells	CREW MEAL		Dan Lamphier / Mark Romano
	2:00 PM	CMI	Install FOH Camera & Platforms		Dan Lamphier / Mark Romano
	2:30 PM	CMI	Install Lighting Towers		Dan Lamphier / Mark Romano
	TBD Friday	EIS	Bike Rack Installed		Kendall Garden
	PM Friday	United Rental	Executive Trailer servicing		Dan Lamphier / Mark Romano
	5:30 PM - 7:30 PM	Ridgewells	CREW MEAL		Kendall Garden
	9:00 PM		Work Must end - Noise Ordinance In Place 3 overnight security guards on property		Kendall Garden
Sunday 6/12	9:00 PM - 7:00 AM	Colorado Security			
	7:00 AM		Noise Ordinance Lifts - Work Can Begin		Kendall Garden
	TBD	WaterMonster	Install Water (25 Tanks)		Kendall Garden
	7:00 AM - 9:00 AM	Ridgewells	CREW MEAL		Kendall Garden
	9:00 AM - 3:00 PM	Colorado Security	20 security guards + 15 elite security guards on property		Kendall Garden
	TBD	CMI	Camera Meeting & Rehearsals		Dan Lamphier / Mark Romano
	11:00 AM - 12:00 PM	Ridgewells	CREW MEAL		Kendall Garden
	12:00 PM - 2:00 PM		LIVE SHOW		
	4:00 PM	CMI	Wrap & Strike - Audio, Video & Lighting Removed		Dan Lamphier / Mark Romano
	4:00 PM	Design Foundry	Scenic Strike		Cory Frank
	5:00 PM	EIS	Asset Removal Begins - Tents & Bike Rack		Kendall Garden / Wes Maul
	5:30 PM - 7:30 PM	Ridgewells	CREW MEAL		Kendall Garden
	7:00 PM	WaterMonster	Strike Water (25 Tanks)		Kendall Garden
	9:00 PM		Work Must end - Noise Ordinance In Place 3 overnight security guards on property		Kendall Garden
	9:00 PM - 7:00 AM	Colorado Security			
	LOAD OUT / DAY 4				
	7:00 AM		Noise Ordinance Lifts - Work Can Begin		Kendall Garden
	7:00 AM - 9:00 AM	Ridgewells	CREW MEAL		Dan Lamphier / Mark Romano
	7:00 AM	CMI	Stage Structure Removed		Kendall Garden
	7:00 AM	United Rental	(136) Porter Potties (34) ADA (1) Executive Trailer (171) Locks picked up		Kendall Garden
	TBD	EIS	Ground Protection Removal Begins		Kendall Garden / Wes Maul
	5:00 PM		PERMIT EXPIRES		



TIME	EVENT	DESCRIPTION & KEY MESSAGES
SLOT	LENGTH	
12:00 PM	1	March "Begins" with a video
12:01 PM	10	Trevon Bosley & RuQuan Brown
12:11 PM	8	Uvalde Family
12:19 PM	8	Buffalo Family + Cori Bush
12:27 PM	2	Body Bags Video
12:29 PM	8	David Hogg
x	10	HOLD
12:37 PM	10	Yolanda King
12:47 PM	10	Becky Pringle + Randi Weingarten
12:57 PM	3	Generation Lockdown Video
1:00 PM	10	X Gonzalez
1:10 PM	0	March "Ends"

Music playing for the first 15 minutes as people show up

Accompanied by Jackie Corin

Teachers up on stage behind them

Survivors are going to come on stage

Note that the "HOLD" slot at 12:30pm is for a celebrity appearance that is still currently to be determined.

Emergency Shelter

Please exit right to Constitution Ave and 14th St NW

Find shelter at:

Ronald Reagan
Building
and International
Trade Center

Smithsonian
National Museum
of American History

Inclement Weather

Please exit right to Constitution Ave and 14th St NW


Find shelter at:

Ronald Reagan
Building
and International
Trade Center

Smithsonian
National Museum
of American History


Event Credentials

(b) (7)(A)



3. All laws, rules and regulations applicable to the area covered by this permit remain in effect.
4. No fee may be collected, donation solicited, or commercial activity conducted. No items may be sold or offered for sale except for books, newspapers, leaflets, pamphlets, buttons, and bumper stickers which contain a message related to your demonstration or special event. No other merchandise may be sold or offered for sale. A stand or structure used for the sale of permitted items may not exceed one table per site, which may be no larger than 2 ½ feet by 8 feet or 4 feet by 4 feet. The dimensions of the sales site may not exceed 6 feet wide by 15 feet long by 6 feet high.
5. The area should be left in substantially the same condition as it was prior to the activities authorized herein, and all litter shall be placed in the trash containers provided.
6. This permit is applicable only for the use of the area designated above, and during the times designated above, or in any area as may hereafter be designated by the United States Park Police.
7. The use of sound amplification equipment, other than hand-portable sound amplification equipment to be used for crowd control purposes only, is prohibited on the White House Sidewalk (South 1600 Pennsylvania Avenue, NW., sidewalk between East Executive Avenue and West Executive Avenue). All sound amplification equipment shall be limited so that it will not unreasonably disturb nonparticipating persons in, or in the vicinity of, the area.
8. The National Park Service reserves the right to immediately revoke this permit at any time should it reasonably appear that the public gathering presents a clear and present danger to the public safety, good order or health, or if any conditions of this permit are violated

Kym A. Hall
Area Director
National Capital Area



By:
Robbin M. Owen
Chief, Division of Permits Management
National Mall & Memorial Parks