ELEANOR HOLMES NORTON

DISTRICT OF COLUMBIA

COMMITTEE ON TRANSPORTATION AND INFRASTRUCTURE

SUBCOMMITTEES

CHAIR, HIGHWAYS AND TRANSIT

AVIATION

ECONOMIC DEVELOPMENT, PUBLIC BUILDINGS AND EMERGENCY MANAGEMENT

WATER RESOURCES AND THE ENVIRONMENT



COMMITTEE ON OVERSIGHT AND REFORM

SUBCOMMITTEES

CIVIL RIGHTS AND CIVIL LIBERTIES

GOVERNMENT OPERATIONS

Congress of the United States

House of Representatives Washington, DC 20515-1501

February 7, 2023

The Honorable Charles Sams III Director National Park Service 1849 C St. NW Washington, DC 20240

Dear Director Sams:

I write to request that the National Park Service (NPS) investigate ordnances and soil and groundwater contamination throughout Fort Totten Park.

After an unexploded ordnance was uncovered on the Fort Totten Trail in 2020, I convened a meeting with NPS, the U.S. Army Corp of Engineers and the Washington Metropolitan Area Transit Authority to discuss the scope of NPS's investigation. In that meeting, I was assured that NPS had conducted a thorough investigation.

However, I have since been informed that NPS has only investigated parts of Fort Totten Trail, and not throughout Fort Totten Park.

Furthermore, a different NPS study only conducted tests immediately around the site of the toxic soil dump. Given that these studies found elevated levels of arsenic that exceed the Environmental Protection Agency's generic regional screening levels for both residential and industrial soil in both surface and subsurface soil, I believe it is imperative that NPS conduct an investigation throughout Fort Totten Park. This park is located in a residential neighborhood and is regularly used.

I am committed to ensuring that residents across the District are safe from ordnance, chemical weapons and soil and groundwater contamination. I request a response to this letter by February 28, 2023.

Sincerely,

Eleanor Holmes Norton

Ro eno H Norton

MAIN DISTRICT OFFICE

RONALD REAGAN BUILDING AND INTERNATIONAL TRADE CENTER 1300 PENNSYLVANIA AVENUE, N.W., SUITE M-1000 WASHINGTON, D.C. 20004-3002 (202) 408-9041 (202) 408-9048 (FAX) 2136 RAYBURN HOUSE OFFICE BUILDING

WASHINGTON, D.C. 20515-5101 (202) 225-8050 (202) 225-7829 (ITDD) (202) 225-3002 (FAX) WWW.NORTON.HOUSE.GOV

WWW.NORTON.HOUSE.GOV PRINTED ON RECYCLED PAPER

THIS MAILING WAS PREPARED, PUBLISHED, AND MAILED AT TAXPAYER EXPENSE.

SOUTHEAST DISTRICT OFFICE

2235 SHANNON PLACE, S.E. SUITE 2032 WASHINGTON, D.C. 20020-7026 (202) 678-8900 (202) 678-8844 (FAX)